

## Tender Text



Note! Product picture may differ from actual product

Product No.: [97980341](#)

### CIU 273 GRM interface unit for SQFlex

CIU 273 SQFlex Grundfos Remote Management

The CIU273 communication interface enables data transmission via GPRS / SMS from Grundfos SQFlex pumps to the Grundfos Remote Management system. The built-in multi-purpose I/O board enables monitoring of SQFlex with mainsborne signalling, digital sensors, meters and switches.

CIU 273 SQFlex enables

Monitoring of SQFlex performance, alarms and historical data

ON/OFF control with digital input

Level or pressure control via digital input


Warning via digital input or Flow monitoring via pulsating watermeter and digital input

The CIU 273 unit is equipped with a 24-240V VAC/VDC power supply, it can run on both solar modules and Generator.

It may not be connected to the grid.

Position	Qty.	Description
	1	<p data-bbox="320 338 774 367"><b>CIU 273 GRM interface unit for SQFlex</b></p> <div data-bbox="384 409 635 770" style="text-align: center;">  </div> <p data-bbox="710 770 1193 795" style="text-align: center;"><b>Note! Product picture may differ from actual product</b></p> <p data-bbox="320 801 582 831">Product No.: <a href="#">97980341</a></p> <p data-bbox="320 862 858 891">CIU 273 SQFlex Grundfos Remote Management</p> <p data-bbox="320 922 1396 996">The CIU273 communication interface enables data transmission via GPRS / SMS from Grundfos SQFlex pumps to the Grundfos Remote Management system. The built-in multi-purpose I/O board enables monitoring of SQFlex with mainsborne signalling, digitalsensors, meters and switches.</p> <p data-bbox="320 1037 1252 1182">CIU 273 SQFlex enables  Monitoring of SQFlex performance, alarms and historical data  ON/OFF control with digital input  Level or pressure control via digital input  Warning via digital input or Flow monitoring via pulsating watermeter and digital input</p> <p data-bbox="320 1216 1444 1267">The CIU 273 unit is equipped with a 24-240V VAC/VDC power supply, it can run on both solarmodules and Generator.</p> <p data-bbox="320 1301 710 1330">It may not be connected to the grid.</p>

**97980341 CIU 273 GRM interface unit for SQFlex 50 Hz**



Note! All units are in [mm] unless others are stated.  
Disclaimer: This simplified dimensional drawing does not show all details.